

ACCUFRAME IC FRAMEWORK /CROWNS ORDER FORM

<b>1</b> INFO	DOCTOR/LAB NAME		PATIENT IDENTIFIER		
	ADDRESS		CITY/STATE	ZIP CODE	
	PHONE NUMBER		EMAIL ADDRESS		

**2** PLEASE SELECT A CROWN TYPE THEN ADDED OPTIONS

ZIRCONIUM OR  EMAX

CUTBACK COPING TOOTH #s

COPING TOOTH #s

FULL CONTOUR TOOTH #s

**3** PLEASE SELECT ONE FINISH

INITIAL COLOR /SINTERED

STAINED AND GLAZED

VITA SHADE

LAB TECH WILL CONTACT YOU FOR STAIN/GLAZE DETAILS IF REQUESTED

WRITE "MATCH" IF MATCH OF DENTURE TEETH REQUESTED



<b>4</b> IMPLANT LOCATIONS & TYPE /TOOTH TYPE	DENTURE TOOTH MANUFACTURER & MODEL:	TOOTH NUMBER	ANALOG / ABUTMENT MANUFACTURER & MODEL
	NUMBER OF CROWNS NEEDED:		
	POSTERIOR DENTURE TOOTH MANUFACTURER & MODEL:		
	ANTERIOR DENTURE TOOTH MANUFACTURER & MODEL:		
	<b>PLEASE ATTACH DENTURE TOOTH CARD TO FORM TO MINIMIZE DELAYS DUE TO TOOTH MATCHING</b>		

**5** DELIVERY OPTIONS

OVERNIGHT  2ND DAY

DO YOU REQUEST DESIGN APPROVAL?  
(IF YES, PLEASE PROVIDE EMAIL ON LINE BELOW)

YES  NO

---

ACCUFRAME PLUS COLOR TREATMENT?  YES

INCLUDE SCREW ACCESS HOLES  YES

Orders will be shipped within 14 business days from the order date or, if design approval is requested, within 12 business days of design approval.

**CONFIRM ALL ELEMENTS ARE INCLUDED:  
MISSING ELEMENTS COULD RESULT IN CASE DELAYS**

- Verified Master Model (With Undamaged Analogs)
- Screw-Retained Diagnostic Wax-up
  - Desired Final Occlusion and Mesial/Distal Contacts
  - Screw-Retained Via 2 or More Mating Cylinders (to ensure correct position on Master Model)
- Signed and Completed Order Form
- Labeling of Denture Teeth used in Diagnostic Wax Up (manufacturer and catalog number)

NAME \_\_\_\_\_ DATE \_\_\_\_\_

I certify that the analog positions on the cast and the wax try-in have been verified for accuracy and the stated information is correct. All items that have contacted the oral environment have been disinfected. This form authorizes Cagenix to fabricate the AccuFrame™ dental framework using the information provided on this order form. Failure to submit appropriate elements can result in case being returned.

